



# COLORband H9 USB

COLORband H9 USB is a full-size hex-color LED strip light that functions as chase effect, blinder or wall washer. It is [D-Fi USB](#) compatible for wireless Master/Slave or DMX control. Its 6-in-1 LED technology generates a broad spectrum of colors and natural-looking color temperatures. Three zones of control create amazing chase effects and you can access multiple prebuilt programs with or without DMX. Sound activated and automated programs can be accessed with the optional [IRC-6 remote](#). COLORband H9 USB is ideal for quiet applications due to its silent operation and no moving parts. Easily transports in the optional [CHS-60 VIP Gear Bag](#)



# En résumé

- Full-size hex-color LED strip light functions as chase effect, blinder or wall washer
- D-Fi USB compatibility for wireless Master/Slave or DMX control
- Generate a broad spectrum of colors and achieve natural-looking color temperatures with 6-in-1 LED technology
- 3 zones of control create amazing chase effects
- Convenient access to multiple pre-built programs with or without DMX
- Includes multiple DMX personalities for a wide variety of programming styles
- Point-and-shoot operation of static colors and automated programs with the optional IRC-6 remote
- Ideal for quiet applications due to silent operation and no moving parts
- Sound-activated programs dance to the beat of the music
- Easily transports in the optional CHS-60 VIP Gear Bag

## Caractéristiques techniques

- Canaux DMX: 6, 9, 11, 18 or 23
- Connecteurs DMX: 3-pin XLR
- Source lumineuse: 9 LEDs (hex-color RGBAW+UV) 10 W (2.3 A), 50,000 hours life expectancy
- Fréquence stroboscopique: 0 to 26 Hz
- PWM Frequency: 1.2 kHz
- Angle de faisceau: 29°
- Angle du champ: 48°
- Éclairage lumineux: 2,254 lux @ 2 m
- Raccordement électrique: 7 units @ 120 V; 13 units @ 230 V 74 W, 0.6 A @ 230 V, 50 Hz
- Tension d'entrée: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Puissance et intensité: 77 W, 1 A @ 120 V, 60 Hz
- Poids: 7.0 lb (3.2 kg)
- Dimensions: 39.4 x 2.2 x 6.6 in (1000 x 56 x 168 mm)
- Homologations: CE
- Optional Controllers: IRC – 6, D-Fi USB

## Inclus

- Hanging Bracket and mounting hardware
- Power cord
- Warranty card
- Quick Reference Guide